



CALIBER INSULATED JACKET PRODUCT DIMENSIONS: *(FOR USE WHEN BUILDING INTO COMBUSTIBLE ENCLOSURES)*


CGA41IJ
41" SILVER INSULATION JACKET




CGP14IJ
DUAL SIDE BURNER
INSULATED JACKET




CGP60IJ
60" PRO INSULATED JACKET




CGA35IJ
35" SILVER INSULATED JACKET



CGP42IJ
42" PRO INSULATED JACKET





CTP22IJ
PRO KAMADO
INSULATED JACKET




CALIBER CROSSFLAME PRO GRILLS


INSULATED JACKET CUTOUT DIMENSIONS

(FOR USE WITH COMBUSTIBLE ENCLOSURES)






**CALIBER CROSSFLAME SILVER GRILLS
INSULATED JACKET CUTOUT DIMENSIONS**
(FOR USE WITH COMBUSTIBLE ENCLOSURES)




CALIBER™ PRO KAMADO GRILLS

INSULATED JACKET - MODEL CTP22IJ

CUTOUT DIMENSIONS - (FOR USE WITH COMBUSTIBLE ENCLOSURES)



**22" Caliber Pro Kamado Charcoal Grill/Smoker
Insulated Jacket (CTP22IJ model)
Cutout Dimensions
Rear Wall Installation**





**22" Caliber Pro Kamado Charcoal Grill/Smoker
Insulated Jacket (CTP22IJ model)
Cutout Dimensions
Back Splash (No Rear Wall) Installation**




Caliber Pro Kamado Build-In Leg Kit (model CTPLK) recommended.
The dual legs have been specially designed for the Caliber Pro Kamado Grill
for build-in installations to prevent movement and can be securely mounted down to island deck

42" & 48" ROCKWELL BY CALIBER GRILLS COMBUSTIBLE ENCLOSURE SPACER DIMENSIONS (FOR USE WITH COMBUSTIBLE ENCLOSURES)



***ACCESS DOOR REQUIRED FOR DRAIN**
(Access door placed no more than 1" below the grill to reach clean out drain)
 Important! Access doors also required for combustible enclosures and additional spacer required below

***SPACER REQUIRED FOR COMBUSTIBLE ENCLOSURES**
Important! If building into a combustible enclosure a stainless steel spacer is required with these installation instructions for spacers 42" Rockwell (#CGR42IJ) and 48" Rockwell (#CGR48IJ)



Part Name	Model	A	B	C	D	E
42" Combustible Enclosure Spacer	CGR42IJ	45 5/8"	43"	40"	21 1/2"	44 7/8"
48" Combustible Enclosure Spacer	CGR48IJ	51 5/8"	49"	46"	24 1/2"	51 1/8"